

いとう つねとし
伊藤 恒敏 先生 (講師)

【研究発表・論文】

1	Itoh, T. Establishment of an epithelial cell line from thymus. Amer. J. Anat. 156: 99–104, 1979.
2	Itoh, T., Aizu, S., Kasahara, S., and Mori, T. Establishment of a functioning epithelial cell line from the rat thymus. A cell line that induces the differentiation of rat bone marrow cells into T cell lineage. Biomedical Res. 2: 11–19, 1981.
3	森 富、伊藤恒敏、笠原 森 細網細胞とリンパ球の相互反応の解析 医学のあゆみ 119: 730–738, 1981.
4	Aizu, S., Itoh, T., and Yamamoto, T. A simple method for whole-cell preparation in electron microscopy. J. Microsc. 124: 183–187, 1981.
5	Itoh, T., Kasahara, S., and Mori, T. A thymic epithelial cell line, IT-45R1, induces the differentiation of prethymic progenitor cells into postthymic cells through direct contact. Thymus 4: 69–75, 1982.
6	Itoh, T., Kasahara, S., Aizu, S., Kato, K., Takeuchi, M., and Mori, T. Formation of Hassall's corpuscles in vitro by the thymic epithelial cell line IT-26R21 of the rat. Cell Tissue Res. 226: 469–476, 1982.
7	伊藤恒敏 ラット胸腺由来上皮性細胞株を用いたTリンパ球の分化の誘導とその解析 東北医学雑誌 95: 42–44, 1982.
8	Kasahara, S., Itoh, T., and Mori, T. The effect of the supernatant of the thymic epithelial cell line, IT-45R1 (STEL), on thymocyte reactivity to mitogens. Thymus 5: 115–119, 1983.
9	Itoh, T. Establishment of a myoid cell clone from rat thymus. Cell Tissue Res. 231: 39–47, 1983.
10	伊藤恒敏、笠原 森、森 富 培養胸腺上皮細胞を用いたTリンパ球の分化 臨床免疫 16: 816–825, 1984.
11	Kamo, I., Tada-Kikuchi, A., Furukawa, S., Iwasaki, Y., Nonaka, I., Satoyoshi, E., and Itoh, T. Effects of thymic myoid cell culture supernatant on cells from lymphatic tissues. Cell. Immunol. 94: 587–597, 1985.
12	Itoh, T., and Kasahara, S. Rat T lymphocyte progenitors in bone marrow can be induced to express more Thy 1. Thymus 7: 287–300, 1985.
13	Kasahara, S., and Itoh, T. Separation and characterization of rat thymocyte subpopulations. Thymus 7: 301–316, 1985.
14	Tada-Kikuchi, A., Kamo, I., Itoh, T., and Nonaka, I. Astrocyte growth enhanced by culture supernatant of a cloned rat thymic myoid cell. Brain Res. 348: 304–308, 1985.
15	伊藤恒敏 胸腺の機能 病態生理 5: 323–333, 1986.
16	Dardenne, M., Itoh, T., and Homo-Delarche, F. Presence of glucocorticoid receptors in cultured thymic epithelial cells. Cell. Immunol. 100: 112–118, 1986.

17	Laster, A. J., Itoh, T., and Haynes, B. F. The human thymic microenvironment. Production of monoclonal antibodies against cultured rat thymic epithelial cells that define intermediate filaments or intermediate filament-associated proteins in human and rodent thymic epithelium. <i>Differentiation</i> 31: 67-77, 1986.
18	Savino, W., Itoh, T., Imhof, B. A., and Dardenne, M. Immunohistochemical studies on the phenotype of murine and human thymic stromal cell lines. <i>Thymus</i> 8: 245-256, 1986.
19	伊藤恒敏 胸腺由来上皮性細胞株を用いたTリンパ球の分化 東北医学雑誌 99: 57-59, 1986.
20	Itoh, T., and Kasahara, S. Development of Thy 1 positive rat thymocytes. Analysis of fetal and neonatal thymocytes by flow microfluorometry. <i>Thymus</i> 9: 13-23, 1987.
21	伊藤恒敏 T細胞分化と胸腺 臨床免疫 19: 19-25, 1987.
22	Itoh, T. Development of Thy 1 positive mouse thymocytes. Analysis of early fetal thymocytes by flow microfluorometry. <i>Thymus</i> 9: 217-223, 1987.
23	伊藤恒敏 胸腺上皮細胞の免疫細胞分化における役割 Medical Immunology 13: 281-288, 1987.
24	Ogata, M., Sato, S., Sano, H., Hamaoka, T., Doi, H., Nakanishi, K., Paul, W. E., Itoh, T., and Fujiwara, H. Thymic stroma-derived T cell growth factor (TSTGF). I. Functional distinction of TSTGF from interleukin 2 and 4. <i>J. Immunol.</i> 139: 2675-2682, 1987.
25	Nishimura, T., and Itoh, T. Up and down regulation of serine esterase from mouse cytotoxic T lymphocytes by tumor-promoting phorbol ester. <i>Biochem. Biophys. Res. Comm.</i> 146: 1262-1269, 1987.
26	Imhof, B. A., Deugnier, M. A., Itoh, T., and Thiery, J. P. T lymphocyte precursors migrate towards chemotactic peptides secreted by embryonic or juvenile thymus. In "Lymphatic tissues and germinal centres in immune reactions" (edited by Fossum, S., and Rolstad, B.), Plenum Press, New York, 1987.
27	Lobach, D. F., Itoh, T., Singer, K. H., and Haynes, B. F. The thymic microenvironment. Characterization of in vitro differentiation of the IT26R21 rat thymic epithelial cell line. <i>Differentiation</i> 34: 50-59, 1987.
28	伊藤恒敏 胸腺上皮細胞株の樹立とT細胞-発生・分化への応用 代謝増刊号「免疫87」 1987.
29	伊藤恒敏 T細胞の分化と胸腺 Annual Review 免疫 1988 : 14-15, 1988.
30	Itoh, T., Doi, H., Chin, S., Nishimura, T., and Kasahara, S. Establishment of mouse thymic nurse cell clones from a spontaneous BALB/c thymic tumor. <i>Eur. J. Immunol.</i> 18: 821-824, 1988.
31	Imhof, B. A., Deugnier, M.-A., Girault, J.-M., Champion, S., Damais, C., Itoh, T., and Thiery, J. P. Thymotaxin: A thymic epithelial peptide chemotactic for T-cell precursors. <i>Proc. Natl. Acad. Sci. USA</i> 85: 7699-7703, 1988.
32	Nishimura, T., and Itoh, T. Higher level expression of lymphocyte function-associated antigen-1 (LFA-1) on in vivo natural killer cells. <i>Eur. J. Immunol.</i> 18: 2077-2080, 1988.
33	Sano, H., Noguchi, H., Kodama, I., and Itoh, T. Rapid methylation of genomic DNA in proliferating T-cells from bovine thymocytes. <i>Biochim. Biophys. Acta</i> 950: 274-281, 1988.
34	伊藤恒敏 胸腺支質細胞由來の分化因子 BIOmedica 3:1019-1022, 1988.
35	伊藤恒敏 胸腺ナース細胞 内科 63: 1218, 1988.

36	Savino, W., Bartocchioni, E., Homo-Delarche, F., Gagnerault, M. C., Itoh, T., and Dardenne, M. Thymic hormone containing cells-IX. Steroids in vitro modulate thymulin secretion by human and murine thymic epithelial cells. <i>J. Steroid Biochem.</i> 30: 479-484, 1988.
37	Morioka, K., Kinoshita, Y., Tominaga, K., Hato, F., and Itoh, T. Separation of polypeptides which induce a mitogen response of thymocytes from the culture supernatant of a thymic epithelial cell line. <i>Cell. Mol. Biol.</i> 35: 523-534, 1989.
38	Taniyama, T., Kinoshita, Y., Hato, F., Tominaga, K., Kimura, S., and Itoh, T. Separation of rosette formation inducing polypeptides from the supernatant of cultures of rat thymic epithelial cell line. <i>Cell. Mol. Biol.</i> 35: 535-545, 1989.
39	伊藤恒敏 胸腺上皮細胞株の樹立 免疫薬理 7: 387-394, 1989.
40	Dardenne, M., Savino, W., Gagnerault, M. C., Itoh, T., and Bach, J.-F. Neuroendocrine control of thymic hormonal production. I. Prolactin stimulates in vivo and in vitro the production of thymulin by human and murine thymic epithelial cells. <i>Endocrinology</i> 125: 3-12, 1989.
41	Savion, S., Itoh, T., Hertogs, H., and Shoham, J. Contact-mediated maturational effects of thymic stromal cells on murine thymocytes in culture. <i>Immunology</i> 67: 496-501, 1989.
42	伊藤恒敏 胸腺上皮細胞と胸腺リンパ球の分化 In 「胸腺上皮細胞—正常と異常」, 有森 茂 監修, p117, メジカルビュー社, 東京, 1990.
43	Itoh, T., Rao, A., O'Brien, D., Nghiem, P., and Cantor, H. Limiting dilution analysis of ontogeny of self- and allo-reactive thymocytes of C57BL/6J mouse. <i>Thymus</i> 16: 89-98, 1990.
44	伊藤恒敏 胸腺とリンパ球 臨床免疫 22: 1737-1746, 1990.
45	伊藤恒敏 胸腺上皮細胞(IT-45R1)の樹立と機能 In 「胸腺腫の免疫生物学と治療」, 有森 茂 編, p317-331, 東海大学出版会、東京、1990.
46	Doi, H., Nakagawa, S., Nagata, K., Hata, M., Kasahara, S., Sakata, T., Suzuki, R., Nanno, M., Sugamura, K., and Itoh, T. Murine thymic nurse cell clone supports the growth of fetal thymocytes in the presence of IL-2. <i>Eur. J. Immunol.</i> 21: 783-792, 1991.
47	伊藤恒敏 胸腺の支質細胞 リンパ学 14: 108-110, 1991.
48	Nanno, M., Takahashi, T., Sakata, T., Horikawa, T., Sako, T., Suzuki, R., Itoh, T., and Kumagai, K. Production of granulocyte-macrophage colony-stimulating factor by rat thymic epithelial cell line and its interleukin 1-inducing activity. <i>J. Leukocyte Biol.</i> 50: 561-567, 1991.
49	鈴木隆二、土井秀之、里見進、伊藤恒敏 胸腺支質細胞と胸腺リンパ球への作用 細胞 24: 120-123, 1992.
50	伊藤恒敏 胸腺上皮の構造と機能 In 「胸腺腫瘍の病態と治療」(第13回胸部疾患学会卒後研修セミナー), 藤村重文編, p1-26, 胸部疾患学会卒後教育委員会、東京、1992.
51	Ohishi, S., Endo, M., Kobayashi, T., Terasawa, T., Murakami, T., Onoda, M., Ohnishi, M., Itoh, T., Tsuiki, S., and Tamura, S. Enhanced expression of type 2C protein phosphatase gene during myogenic differentiation of C3H10T1/2 cells. <i>Biochem. Int.</i> 28: 345-351, 1992.

52	Sakabe, K., Seiki, K., Kawashima, I., Katsumata, Y., and Itoh, T. An effect of steroid hormones on proliferation and function of thymic epithelial cells in culture. In <i>Recent Advances in Cellular and Molecular Biology. Vol. 1. Thymic Immune Regulations, Autoantibodies, Lymphomas, Infectious Diseases, Tumors</i> , R. J. Wegmann and M. A. Wegmann (eds.). Peeters Press, Leuven, Belgium, pp. 141–150, 1992.
53	Hata, M., Nanno, M., Doi, H., Satomi, S., Sakata, T., Suzuki, R., and Itoh, T. Establishment of a hepatocytic epithelial cell line from the murine fetal liver capable of promoting hemopoietic cell proliferation. <i>J. Cell. Physiol.</i> 154: 381–392, 1993.
54	伊藤恒敏 リンパ球の分化 臨牀と研究 70: 1355–1362, 1993.
55	伊藤恒敏 免疫学用語辞典（共著） 大沢利昭・小山次郎・奥田研爾・矢田純一編集 東京化学同人、東京、1993.
56	伊藤恒敏、畠 雅弘、土井秀之、鈴木隆二、坂田恒昭、里見 進、南野昌信 胎仔肝上皮細胞株による $\gamma\delta$ 型T細胞の誘導 In 「肝臓とリンパ球」 Minophagen Medical Review suppl. 31: 51–62, 1994.
57	Sakabe, K., Kawashima, I., Urano, R., Seiki, K., and Itoh, T. Effects of sex steroids on the proliferation of thymic epithelial cells in culture model: A role of protein kinase C. <i>Immunol. Cell Biol.</i> 72: 193–199, 1994.
58	Nanno, M., Hata, M., Doi, H., Satomi, S., Yagi, H., Sakata, T., Suzuki, R., and Itoh, T. Stimulation of in vitro hematopoiesis by murine fetal hepatocyte clone through cell-cell contact. <i>J. Cell. Physiol.</i> 160: 445–454, 1994.
59	南野昌信、畠雅弘、土井秀之、里見進、伊藤恒敏 肝内造血の支持機構 生体の科学 45: 328–331, 1994.
60	Iwagami, S., Furue, S., Toyosaki, T., Sakata, T., Doi, H., Satomi, S., Horikawa, T., Itoh, T., and Suzuki, R. Establishment and characterization of nurse cell-like clones from human skin. Nurse cell-like clones can stimulate autologous mixed lymphocyte reaction. <i>J. Immunol.</i> 153: 2927–2938, 1994.
61	伊藤恒敏 Thymic epithelial cell および nurse cell line の樹立 In 「免疫実験操作法」, 右田俊介、紺田進、本庶佑、濱岡利之編集, p678–684, 南江堂、東京、1995.
62	Pieters, R. H., Albers, R., Bleumink, R., Snoeij, N. J., Itoh, T., Seinen, W., and Penninks, A. H. The thymus atrophy-inducing organotin compound DBTC inhibits the binding of thymocytes to thymic epithelial cells. <i>Int. J. Immunopharmac.</i> 17: 329–337, 1995.
63	Nakamura, M., Yagi, H., Kayaba, S., Ishii, T., Gotoh, T., Itoh, T. Most thymocytes die in the absence of DNA fragmentation. <i>Arch. Histol. Cytol.</i> 58: 249–256, 1995.
64	伊藤恒敏、中村雅典、八木秀樹 リンパ節-免疫反応とBリンパ球最終分化の「場」 生体の科学 46: 370–381, 1995.
65	Nanno, M., Hata, M., Shimada, S., Doi, H., Satomi, S., Yagi, H., Nakamura, M., Sakata, T., Suzuki, R., and Itoh, T. Induction of TCRgd ⁺ cells from thymocytes stimulated by a fetal liver-derived hepatocyte clone. <i>J. Immunol.</i> 155: 2918–2927, 1995.
66	Nakamura, M., Yagi, H., Kayaba, S., Ishii, T., Gotoh, S., Ohtsu, S., and Itoh, T. Death of germinal center B cells without DNA fragmentation. <i>Eur. J. Immunol.</i> 26: 1211–1216, 1996.

67	伊藤恒敏 リンパ節 生体の科学 47: 406-410, 1996.
68	Yagi, H., Matsumoto, M., Nakamura, M., Makino, S., Suzuki, R., Harada, M., and Itoh, T. Defect of thymocyte emigration in a T-cell deficiency strain (CTS) of mouse. J. Immunol. 157: 3412-3419, 1996.
69	石井 正、中村雅典、八木秀樹、曾我浩之、萱場尚一、後藤孝浩、大津 進、尾形雅君、伊藤恒敏 ステロイド投与による胸腺リンパ球の細胞死 臨床免疫 29: 55-62, 1996.
70	Nakamura, M., Yagi, H., Ishii, T., Kayaba, S., Soga, H., Gotoh, T., Ohtsu, S., Ogata, M., and Itoh, T. DNA fragmentation is not the primary event in glucocorticoid-induced thymocyte death in vivo. Eur. J. Immunol. 27: 999-1004, 1997.
71	Soga, H., Nakamura, M., Yagi, H., Kayaba, S., Ishii, T., Gotoh, T., Itoh, T. Heterogeneity of mouse thymic macrophages. I. Immunohistochemical analysis. Arch. Histol. Cytol. 60: 53-63, 1997.
72	Ishii, T., Nakamura, M., Yagi, H., Soga, H., Kayaba, S., Gotoh, T., Satomi, S., and Itoh, T. Glucocorticoid-induced thymocyte death in murine thymus: The effect at later stages. Arch. Histol. Cytol. 60: 65-78, 1997.
73	Koja, S., Doi, H., Satomi, S., Fujimori, K., Takemura, M., Ohkohchi, N., Miura, S., Takeda, Y., Morimoto, K., Itoh, T., Taguchi, Y., and Okazaki, H. Induction of tolerance to islet and skin allografts by intrathymic inoculation of thymic stromal cell clones in mice. Transplantation Proc. 29: 765-766, 1997.
74	Moriguchi, S., and Itoh, T. Vitamin E enhances T cell differentiation through increased epithelial cell function in rat thymus. Nutrition Res. 17: 873-883, 1997.
75	Yagi, H., Nakamura, M., Ishii, T., Kasahara, S., and Itoh, T. Ultrastructural analysis of mouse thymocyte subpopulations. Eur. J. Immunol. 27: 2680-2687, 1997.
76	He, W., Sakabe, K., Okuma, M., Itoh, T., and Seiki, K. Sex steroid modulation of signal transduction in thymus epithelial cell culture. Pathophysiology 4: 281-288, 1998.
77	Nakamura, M., Yagi, H., Endo, Y., Ishii, T., and Itoh, T. A time kinetic study of the effect of aminobisphosphonate on murine haemopoiesis. Br. J. Hematol. 107: 779-790, 1999.
78	Itoh, T., Nakamura, M., Yagi, H., Soga, H., and Ishii, T. Thymocyte and B-cell death without DNA fragmentation. Handbook of Exp. Pharmacol. 142 (Apoptosis and Its Modulation by Drugs): 375-397, 2000.
79	Yagi, H., Kamba, R., Chiba, K., Soga, H., Yaguchi, K., Nakamura, M., and Itoh, T. Immunosuppressant FTY720 inhibits thymocyte emigration. Eur. J. Immunol. 30: 1435-1444, 2000.
80	Ohtsu, S., Yagi, H., Nakamura, M., Ishii, T., Kayaba, S., Soga, H., Gotoh, H., Rikimaru, A., Kokubun, S., and Itoh, T. Enhanced neutrophilic granulopoiesis in rheumatoid arthritis. Involvement of neutrophils in disease progression. J. Rheumatol. 27: 1341-1351, 2000
81	Itoh, T., Nakamura, M., Yagi, H., Soga, H., Doi, H., Koja, S., Nanno, M., Suzuki, R., Satomi, S., and Kasahara, S. Establishment of a mouse thymic epithelial cell line, IT-79MHC and a brief review on cultured thymic epithelial cells. Cell. Mol. Biol. 47: 1-18, 2001.

82	Toyosaki-Maeda, T., Takano, H., Tomita, T., Tsuruta, Y., Maeda-Tanimura, M., Shimaoka, Y., Takahashi, T., Itoh, T., Suzuki R. and Ochi, T. Differentiation of monocytes into multinucleated giant bone-resorbing cells: two-step differentiation induced by nurse-like cells and cytokines. <i>Arthritis Res.</i> 3: 306–310, 2001.
83	Tamura, A., Soga, H., Yaguchi, K., Yamagishi, M., Toyota, T., Sato, J., Oka, Y., and Itoh, T. Distribution of two types of lymphocytes (intraepithelial and lamina-propria-associated) in the murine small intestine. <i>Cell Tissue Res.</i> 313: 47–53, 2003
84	Yaguchi, K., Kayaba, S., Soga, H., Yamagishi, M., Tamura, A., Kasahara, S., and Itoh, T. DNA fragmentation and detachment of enterocytes induced by anti-CD3 mAb-activated intraepithelial lymphocytes. <i>Cell Tissue Res.</i> 315: 71–84, 2004
85	Matsutani, T., Shiiba, K., Yoshioka, T., Tsuruta, Y., Suzuki, R., Ochi, T., Itoh, T., Musha, H., Mizoi, T., and Sasaki, I. Evidence for existence of oligoclonal tumor-infiltrating lymphocytes and predominant production of T helper1/cytotoxic 1 type cytokines in gastric and colorectal tumors. <i>Int J. Oncol.</i> 25: 133–141, 2004
86	Yamazaki, K., Shimada, S., Kato-Nagoka, N., Soga, H., Itoh, T., and Nanno, M. Accumulation of intestinal intraepithelial lymphocytes in association with lack of polymeric immunoglobulin receptor. <i>Eur. J. Immunol.</i> 35: 1211–1219, 2005
87	Ohara, T., Itoh, T., and Takahashi, M. Immunosuppression by Morphine-Induced Lymphocyte Apoptosis: Is It a Real Issue? <i>Anesth Analg</i> 101: 1117–1122, 2005
88	Nakamura-Kikuoka, S., Takahi, K., Tsuboi, H., Toyosaki-Maeda, T., Maeda-Tanimura, M., Wakasa, C., Kikuchi, N., Norioka, S., Iwasaki, M., Matsutani, T., Itoh, T., Yamane, S., Takemoto, H., Tsuruta, Y., Shimaoka, Y., Yoshioka, M., Suzuki R., and Ochi, T. Limited VH gene usage in B cell clones established with nurse-like cells from patients with rheumatoid arthritis. <i>Rheumatology</i> , 45: 549–557, 2006
89	松谷隆治、大森毅彦、尾形雅君、曾我浩之、伊藤恒敏 胸腺選択によるT細胞受容体レパトアとCDR3長の変化 <i>リンパ学</i> 29: 32–35, 2006
90	Matsutani, T., Ohmori, T., Ogata, M., Soga, H., Yoshioka, T., Suzuki, R. and Itoh, T. Alterations of T cell receptor repertoires during thymic T-cell development. <i>Scand. J. Immunol.</i> 64: 53–60, 2006.
91	金村政輝、伊藤恒敏、木村秀樹、小笠原博信、溝口二郎、本郷道夫 医師不足はアクセスの公平性を損ねる重大な問題—政策科学の視点からの解決が必要 <i>日本医事新報</i> 第4310号(2006年12月2日):81–84、2006
92	Matsutani, T., Ohmori, T., Ogata, M., Soga, H., Kasahara, S., Yoshioka, T., Suzuki, R., and Itoh, T. Comparison of CDR3 length among thymocyte subpopulations: impacts of MHC and BV segment on the CDR3 shortening. <i>Mol. Immunol.</i> 44: 2378–2387, 2007
93	Shiobara, N., Suzuki, Y., Aoki, H., Gotoh, A., Fujii, Y., Hamada, Y., Suzuki, S., Fukui, N., Kurane, I., Itoh, T., and Suzuki, R. Bacterial superantigens and T cell receptor beta-chain-bearing T cells in the immunopathogenesis of ulcerative colitis. <i>Clin. Exp. Immunol.</i> 150: 13–21, 2007

94	伊藤恒敏 マグネットホスピタルをめざして 医学のあゆみ 222(2007. 9. 8) : 817-819, 2007
95	伊藤恒敏、本郷道夫、溝口二郎、金村政輝、木村秀樹、小笠原博信 マグネットホスピタルの提案-地域医療再生の試案-（上） 社会保険旬報（2007. 11. 1 号） No. 2332 : 30-35、2007
96	伊藤恒敏、本郷道夫、溝口二郎、金村政輝、木村秀樹、小笠原博信 マグネットホスピタルの提案-地域医療再生の試案-（下） 社会保険旬報（2007. 11. 11 号） No. 2333 : 34-40、2007
97	伊藤恒敏 マグネットホスピタルと包括的医師育成機構の提案-医療危機再建のための試案- メディカルトリビューン 2007. 11. 22 56-57, 2007
98	金村政輝、伊藤恒敏、木村秀樹、小笠原博信、溝口二郎、本郷道夫 今後の医師集団の人口動態の変化-高齢化と女性医師の増加が変化の主体- 日本医事新報第 4363 号（2007 年 12 月 8 日） : 80-84、2007
99	Ishida, S., Yamane, S., Nakano, S., Mori, T., Juji, T., Fukui, N., Itoh, T., Ochi, T., and Suzuki, R. LIGHT induces cell proliferation and inflammatory responses of rheumatoid arthritis synovial fibroblasts via lymphotoxin β receptor. J. Rheumatol. 35: 960-968, 2008
100	Uehara, Y., Ikehata, H., Komura, J., Ito, A., Ogata, M., Itoh, T., Hirayama, R., Furusawa, Y., Ando, K., Paunesku, T., Woloshak, G. E., Kmatsu, K., Matsuura, S., Ikura, T., Kamiya, K., and Ono, T. Absence of Ku70 gene obliterates X-ray-induced lacZ mutagenesis of small deletions in mouse tissues. Rad. Res. 170: 216-223, 2008
101	Yamane, N., Takahashi, K., Tanaka, Y., Kato, K., Takayama, M., Ohyabu, N., Shiota, T., Takenaka, H., Yoshida, Y., Hara, S., Murashita, T., Nakamura, E., Nishitani, Y., Ishizaki, J., Yamane, S., Nagata, K., Koizumi, K., Yutsudo, T., Suzuki, R., Itoh, T., Takemoto, H. Discovery of novel non-peptide thrombopoietin mimetic compounds that induce megakaryocytopoiesis. Biosci. Rep. 28: 275-285, 2008
102	Yamane, N., Tanaka, Y., Ohyabu, N., Yamane, S., Maekawa, K., Ishizaki, J., Suzuki, R., Itoh, T., Takemoto, H. Characterization of novel non-peptide thrombopoietin mimetics, their species specificity and the activation mechanism of the thrombopoietin receptor. Eur. J. Pharmacol. 586: 44-51, 2008
103	伊藤恒敏 東北大学地域医療システム学からの提言（医師不足と地域医療の崩壊-現状と展望） 医学のあゆみ 225(2008. 5. 24) : 671-675, 2008
104	小笠原博信、伊藤恒敏、本郷道夫、金村政輝、木村秀樹、溝口二郎 必要医師数推計と医学部の適正定員 社会保険旬報（2008. 7. 11 号） No. 2357 : 30-35、2008
105	伊藤恒敏、金村政輝、木村秀樹、小笠原博信、溝口二郎、本郷道夫 医師を引きつけるマグネットホスピタルの提案 新医療（2008 年 8 月号） No. 404 : 124-128、2008
106	伊藤恒敏 医師を引きつけるマグネットホスピタルの提案 都市問題研究 60巻 (No. 692) : 16-35、2008
107	Yamane, S., Ishida, S., Hanamoto, Y., Masuda, R., Tanaka, K., Shiobara, N., Kumagai, K., Yamane, N., Mori, T., Juji, T., Fukui, N., Itoh, T., Suzuki, R., and Ochi, T. Proinflammatory role of amphiregulin, an epidermal growth factor family member whose expression is augmented in rheumatoid arthritis patients. J. Inflammation, 2008 27: 5

108	Ogata, M., Oomori, T., Soga, H., Ota, Y., Itoh, A., Matsutani, T., Nanno, M., Suzuki R., and Itoh, T. DNA repair after DNA fragmentation in mouse small intestinal epithelial cells. <i>Cell Tissue Res.</i> 335: 371–382, 2009.
109	Kitaura, K., Kanayama, K., Fujii, Y., Shiobara, N., Tanaka, K., Kurane, I., Suzuki, S., Itoh, T., and Suzuki, R. T cell receptor repertoire in BALB/c mice varies according to tissue type, sex, age, and hydrocortisone treatment. <i>Exp. Anim.</i> 58: 159–168, 2009.
110	Ishida S, Yamane S, Nakano S, Yanagimoto T, Hanamoto Y, Maeda-Tanimura M, Toyosaki-Maeda T, Ishizaki J, Matsuo Y, Fukui N, Itoh T, Ochi T, Suzuki R. The interaction of monocytes with rheumatoid synovial cells is a key step in LIGHT-mediated inflammatory bone destruction. <i>Immunology.</i> 128: e315–24. 2009.
111	会津清英、伊藤恒敏. 培養細胞株の微細形態学的検索. 医学と生物学. 153: 488–492. 2009.
112	尾形雅君、大田祐太、松谷隆治、伊藤恒敏 iIELによる小腸絨毛上皮細胞のDNA断片化後のDNA修復 リンパ学. 32: 71–74. 2009.
113	Ishida S, Yamane S, Nakano S, Yanagimoto T, Hanamoto Y, Maeda-Tanimura M, Toyosaki-Maeda T, Ishizaki J, Matsuo Y, Fukui N, Itoh T, Ochi T, Suzuki R. The interaction of monocytes with rheumatoid synovial cells is a key step in LIGHT-mediated inflammatory bone destruction. <i>Immunology.</i> 128: 315–324. 2009.
114	北浦一孝、金山喜一、藤井克樹、塩原教之、田中こなぎ、倉根一郎、鈴木さつき、伊藤恒敏、鈴木隆二 BALB/cマウスにおけるT細胞レセプターレパートリーアナリシス 組織・性別・週齢およびヒドロコルチゾン投与による影響. <i>Experimental Animals.</i> 58: 159–168. 2009.
115	Fujii Y, Matsutani T, Kitaura K, Suzuki S, Itoh T, Takasaki T, Suzuki R, Kurane I. Comprehensive analysis and characterization of the TCR alpha chain sequences in the common marmoset. <i>Immunogenetics.</i> 2010 ; 62: 383–395.
116	Matsutani T, Ogata M, Fujii Y, Kitaura K, Nishimoto N, Suzuki R, Itoh T. Shortening of complementarity determining region 3 of the T cell receptor α chain during thymocyte development. <i>Mol Immunol.</i> 2011 48: 623–629.
117	尾形雅君、大田祐太、松谷隆治、伊藤恒敏 マウス小腸絨毛におけるiIELの分布および形態学的性状 リンパ学. 34: 49–52, 2011.
118	Ogata, M., Ota, Y., Matsutani, T., Nanno, M., Suzuki R., and Itoh, T. Granzyme B-dependent and perforin-independent DNA fragmentation in intestinal epithelial cells induced by anti-CD3 mAb-activated intra-epithelial lymphocytes. <i>Cell Tissue Res.</i> 352: 287–300, 2013.
119	Ogata, M., Ota, Y., Nanno, M., Suzuki, R. and Itoh, T. Activation of intra-epithelial lymphocytes: Their morphology, marker expression, and ultimate fate. <i>Cell Tissue Res.</i> 356: 217–230, 2014.
120	Ogata, M., Ota, Y., Nanno, M., Suzuki, R. and Itoh, T. Autocrine DNA fragmentation of intra-epithelial lymphocytes (IELs) in mouse small intestine. <i>Cell Tissue Res.</i> 361: 799–810, 2015.